

AIR BAG SMART 150

FEATURES	
code: 09205/SMART	
Type	Compact inflatable life jacket
Activators	UML MK5 - automatic Oral tube
Canister	33 g 1/2" GAS threading
Effective buoyancy	160 N
Class	150
Fastening mechanism	Quick-release clasp in acetal resin with integrated adjustment
Certifications	ISO 12402-3
Size	Adult
Weight supported	> 40 kg
Waist circumference	80 - 125 cm
Casing	Not present
Chamber	Single, PA 420 PU COATED material, fluorescent yellow in colour
Product packaging	VACUUM-SEALED PE BAG material, transparent, tear-open
Product dimensions	Approx. 24 x 17 x 3 cm
Product weight	Approx. 600 g
Packaging	60 x 40 x 40 cm
Warranty	24 months
Inspection	Every 36 months
Accessories on request	Automatic emergency light, PVC casing
Spare parts	Whistle, rearming kit
Veleria San Giorgio reserves the right to modify the technical specifications without prior notice	

AIR BAG SMART 150

Compact inflatable life jacket, ISO 12402-3 certified, class 150, effective buoyancy 150 N, quick-release buckle closure system in acetal resin with integrated adjustment.

Designed for recreational activities carried out in the open sea and/or under adverse weather conditions, with the possibility to safely await rescue even in rough waters. Provides maximum safety for any type of navigation.

Designed to maximise efficiency and bulk whilst minimising costs, it is designed to be part of obligatory on-board equipment for sailing off the coast without limits.

DIMENSIONS AND WEIGHTS

Thickness: 3 cm

Height: 17 cm

Width: 24 cm

Weight: 600 g

CASING FEATURES

- Quick-release clasp with integrated adjustment
- Rescue assistance loop
- Lifting handle



VERSIONS

CODE	PRODUCT NAME	ACTIVATION	ACTIVATORS
09205/SMART	AIR BAG EVO 150	AUTOMATIC	UML MK5

AIR BAG SMART 150

Floatation chamber with single compartment in PA 420 PU COATED material with electronically-controlled high-frequency welds. Provides optimal positioning and perfect stability in the water. The thrust rotates an unconscious person and angles them so as to keep their airway free of water. What's more, once the chamber is inflated, it is possible to swim unimpeded to reach safety or to quickly climb into a lifeboat.


ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation is possible with the salt activator UML MK5, through the dissolution of a water-soluble tablet.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.



TO WEAR:

1. Tear open the bag
2. Extract the chamber
3. Put on the chamber
4. Secure the waist strap



AIR BAG SMART 150

SPARE PARTS



Whistle

25180

A mandatory accessory that permits an emergency sound signal to be issued. ISO 12402-8 certified

Rearming

UML: rearming kit (26233), water-soluble tablet (25005), green MK5 pin (25003/MK5)
Canister 33 g (26033)

ACCESSORIES



LED light

03015

Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved



PVC casing

11009/C

PVC casing for 4/6 AIR BAG SMART



Remember to conduct a periodic inspection. Book an inspection now by emailing us at: info@veleriasangiorgio.com



For more information, contact us at +39 0185 467701 or via our website veleriasangiorgio.com



To buy or learn more about this product, please refer to the QR Code or visit veleriasangiorgio.com

LIFE JACKETS AND LIFE BELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY GEAR FOR CIVILIAN AND MILITARY FIELDS
Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy
Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com



LIFEJACKET MANUFACTURER
made in Italy