

AIR BAG EVO 150

FEATURES	
codes: 09205/1 - 09206/1	
Type	Inflatable life jacket belt pack
Activators	UML MK5 (code: 09205/1) automatic UML Micro Manual (code: 09206/1) manual Oral tube on all versions
Inspection window	Made of transparent PVC with activator status indicators
Canister	33 g 1/2" GAS threading
Effective buoyancy	160 N
Class	150
Fastening mechanism	Quick-release clasp in acetal resin with integrated adjustment
Certifications	ISO 12402-3
Size	Adult
Weight supported	> 40 kg
Waist circumference	80 - 125 cm
Casing	PL 600D PU COATED material, blue in colour
Chamber	Single, PA 420 PU COATED material, fluorescent yellow in colour
Product dimensions	Approx. 23 x 10 x 6 cm
Product weight	Approx. 660 g (code: 09205/1) Approx. 610 g (code: 09206/1)
Packaging	60 x 40 x 40 cm
Warranty	24 months
Inspection	Every 24 months
Accessories on request	Automatic emergency light
Spare parts	Whistle, rearming kit
Veleria San Giorgio reserves the right to modify the technical specifications without prior notice	

AIR BAG EVO 150

Inflatable life jacket belt pack, ISO 12402-3 certified, class 150, effective buoyancy 150 N, quick-release clasp closure system in acetal resin with integrated adjustment.

Designed for recreational activities carried out in the open sea and/or under adverse weather conditions, with the possibility to safely await rescue even in rough waters. Provides maximum safety for any type of navigation.



The smallest life jacket in the world, always ready to use, it can be stored anywhere and is easily worn under any circumstance and over every type of clothing, from swimsuits to jackets. Minimum bulk for maximum yield!

CASING FEATURES

- Activation status viewing window
- Velcro closure
- Quick-release clasp with integrated adjustment
- Rescue assistance loop
- Lifting handle



VERSIONS

CODE	PRODUCT NAME	ACTIVATION	ACTIVATORS
09205/1	AIR BAG EVO 150	AUTOMATIC	UML MK5
09206/1	AIR BAG EVO 150	MANUAL	UML MICROMANUAL

AIR BAG EVO 150

Floatation chamber with single compartment in PA 420 PU COATED material with electronically-controlled high-frequency welds. Provides optimal positioning and perfect stability in the water. The thrust rotates an unconscious person and angles them so as to keep their airway free of water. What's more, once the chamber is inflated, it is possible to swim unimpeded to reach safety or to quickly climb into a lifeboat.


ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation is possible with the salt activator UML MK5, through the dissolution of a water-soluble tablet.
- Manual: the system is operated through pulling the dedicated lever. The product comes with the UML MICROMANUAL activator booklet and is activated exclusively by hand.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.




TO WEAR:

1. Open the case
2. Extract the chamber
3. Put on the chamber




AIR BAG EVO 150

SPARE PARTS

	Whistle	25180	Rearming
	A mandatory accessory that permits an emergency sound signal to be issued. ISO 12402-8 certified		UML: rearming kit (26233), water-soluble tab (25005), green pin MK5 (25003/MK5), green Micro-Manual pin (25003/UML2) Canister 33 g (26033)

ACCESSORIES

	LED light	03015
	Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved	



Remember to conduct a periodic inspection. Book an inspection now by emailing us at: info@veleriasangiorgio.com



For more information, contact us at +39 0185 467701 or via our website veleriasangiorgio.com



To buy or learn more about this product, please refer to the QR Code or visit veleriasangiorgio.com

LIFE JACKETS AND LIFE BELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY

GEAR FOR CIVILIAN AND MILITARY FIELDS

Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy

Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com

