

MODULO HX HUR

FEATURES	
codes: 02140/1/HX/HUR - 02141/1/HX/HUR - 02132/1/HX/HUR 02140/1/HX/HUR/H - 02141/1/HX/HUR/H - 02142/1/HX/HUR/H	
Type	Inflatable life jacket
Activators	02140/1/HX/HUR UML MK5 x2 [DAA] 02141/1/HX/HUR UML MK5+UML MicroManual[DAAM] 02142/1/HX/HUR UML MK5 [SAA] 02140/1/HX/HUR/H MA1/EC x2 [DAA] 02141/1/HX/HUR/H MA1/EC+M1/A1 [DAAM] 02142/1/HX/HUR/H MA1/EC [SAA] Oral tube on all versions
Canister	02140/1/HX/HUR (2x33 g) 02141/1/HX/HUR (2x33 g) 02142/1/HX/HUR (1x33 g) 02140/1/HX/HUR/H (2x33 g) 02141/1/HX/HUR/H (2x33 g) 02142/1/HX/HUR/H (1x33 g)
Effective buoyancy	02140-1/1/HX/HUR 170 N 02142/1/HX/HUR 160 N 02140-1/1/HX/HUR/H 170 N 02142/1/HX/HUR/H 160 N
Fastening mechanism	Safety harness with a 45 mm strap, quick-release fastening system in acetal resin and integrated adjustment, double safety strap attachment
Certifications	SOLAS M.E.D. - ISO 12401
Size	Adult
Weight supported	43-140 kg
Waist circumference	Up to 175 cm
Casing	PL 600D PU COATED
Chamber	Dual-compartment floating chamber with X3D system, PA 420 PU-coated material, fluorescent yellow and spanish yellow in color.
Product packaging	Transparent HD polyethylene bag, 50 microns
Product dimensions	Approx. 55 x 34 x 7 cm
Packaging	60 x 40 x 40 cm
Inspection	Obligatory every 12 months
Accessories on request	Safety line, sprayhood, automatic emergency light
Spare parts	Whistle, double crotch strap, rearming kit
Veleria San Giorgio reserves the right to modify the technical specifications without prior notice	

DONNING INSTRUCTIONS



MODULO HX HUR

SOLAS M.E.D.-certified inflatable life jacket for professional use. Effective buoyancy 170 N (code: 02140/1/HX/HUR - DAA), 170 N (code: 02141/1/HX/HUR - DAAM), 160 N (code: 02142/1/HX/HUR - SAA). Integrated ISO 12401 harness with quick-release safety fastening and side-adjustment clasp.

CASING FEATURES

- Collar in breathable mesh
- Rear strap with backplate
- Velcro closure
- Quick-release clasp
- Side-adjustment clasp
- Double ring for the safety line
- Rescue assistance loop
- Lifting handle
- Buddy system



LEGEND

DAA - Dual Automatic Activator

DAAM - Double Automatic and Manual Activator

SAA - Single Automatic Activator



VERSIONS

CODES	PRODUCT NAME	ACTIVATION	ACTIVATOR
02140/1/HX/HUR	MODULO HX 170	AUTOMATIC	2XUML MK5
02141/1/HX/HUR	MODULO HX 170	AUTOMATIC	UML MK5+UML MICROMANUAL
02142/1/HX/HUR	MODULO HX 170	AUTOMATIC	UML MK5
02140/1/HX/HUR/H	MODULO HX 170	AUTOMATIC	HAMMAR MA1/EC
02141/1/HX/HUR/H	MODULO HX 170	AUTOMATIC	HAMMAR MA1/EC+M1/A1
02142/1/HX/HUR/H	MODULO HX 170	AUTOMATIC	HAMMAR MA1/EC

LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY GEAR FOR CIVILIAN AND MILITARY FIELDS
Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy
Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com



VELERIA
SAN GIORGIO


LIFEJACKET MANUFACTURER

MODULO HX HUR

Double-compartment floating chamber with X3D system having a single-compartment rotation system in PA 420 PU-coated fabric with electronically-controlled high-frequency welds. Designed to contour to the body's ergonomics and optimise positioning in the water. Thanks to the special V-shape, it guarantees an immediate rotation of the body and, through the "fins" structure behind the nape, provides excellent support and perfect stability to the wearer's head. The chamber's design guarantees the best clearance of the mouth above the water in the inflatable vests category.

ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation is possible with the salt activator UML MK5, through the dissolution of a water-soluble tablet.
- Manual: the system is operated through pulling the dedicated lever. The product comes with the UML MICROMANUAL activator booklet and is activated exclusively by hand.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.



X3D
SYSTEM

MODULO HX HUR

SPARE PARTS

	Double crotch strap	09150		Whistle	25180
<p>Use of this accessory improves the body's inclination, stability and positioning in the water.</p>			<p>A mandatory accessory that permits an emergency sound signal to be issued. ISO 12402-8 certified</p>		
<p>Rearming</p> <p>UML: rearming kit (26260), water-soluble tablet (25005), green MK5 pin (25003/MK5), green Micro-Manual pin (25003/UML2) Canister 60 g (26060)</p>					

ACCESSORIES

	Elast. 2 aluminium hooks	11177		2 aluminium hooks	11174
<p>SAFETY STRAP Length: 2 metres Material: Aluminium</p>			<p>SAFETY STRAP Length: 2 metres Material: Aluminium</p>		
	3 aluminium hooks	11175		Elast. 2 steel hooks	11176
<p>SAFETY STRAP Length: 1.4-2 metres Material: Aluminium</p>			<p>SAFETY STRAP Length: 2 metres Material: Stainless steel</p>		
	2 steel hooks	11173		Steel hook + ring	11178
<p>SAFETY STRAP Length: 2 metres Material: Stainless steel</p>			<p>SAFETY STRAP Length: 2 metres Material: Stainless steel</p>		
	Sprayhood	09145/AR/GI		LED light	03015
<p>Reduces the risk of secondary drowning via inhalation of nebulised water. Improves detection of the castaway.</p>			<p>Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved</p>		



Remember to conduct a periodic inspection.
Book an inspection now by emailing us at: info@veleriasangiorgio.com



For more information, contact us at +39 0185 467701 or via our website veleriasangiorgio.com



To buy or learn more about this product, please refer to the QR Code or visit veleriasangiorgio.com

LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY

GEAR FOR CIVILIAN AND MILITARY FIELDS

Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy

Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com



VELERIA
SAN GIORGIO

LIFEJACKET MANUFACTURER