

SKIPPER WK150

FEATURES	
codes: 09235/24/HX/WK - 09236/24/HX/WK - 09235/24/HX/H/WK - 09236/24/HX/H/WK	
Type	Inflatable life jacket workvest
Activators	09235/24/HX/WK UML MK5 automatic 09236/24/HX/WK UML Micro Manual manual 09235/24/HX/H/WK MA1/EC Hammar Automatic 09236/24/HX/H/WK M1/A1 Hammar Manual Oral tube on all versions
Canister	30 g 1/2" GAS threading
Effective buoyancy	150 N
Class	150
Fastening mechanism	Quick-release inox clasp with integrated adjustment
Certifications	ISO 12402-3, ISO 12401
Size	Adult
Weight supported	> 40 kg
Waist circumference	80 - 125 cm
Casing	PVC
Chamber	PA 420 PU COATED material, fluorescent or yellow in colour
Product packaging	Carrying mesh case in PL 200D
Product dimensions	50 x 33 x 9 cm +/- 5%
Product weight	09235/24/HX/WK 0.610 g +/- 5% 09236/24/HX/WK 0.600g +/- 5% 09235/24/HX/H/WK 0.540 g +/- 5% 09236/24/HX/H/WK 0.505 g +/- 5%
Packaging	60 x 40 x 40 cm (10 pcs per box)
Warranty	24 months
Inspection	Every 24 months
Accessories on request	Sprayhood, automatic emergency light, crotch strap, safety line
Spare parts	Whistle, rearming kit
Veleria San Giorgio reserves the right to modify the technical specifications without prior notice	

DONNING INSTRUCTIONS



SKIPPER WK 150

Inflatable life jacket, 12402-3 certified, class 150, effective buoyancy 150 N, inox clasp closure with integrated adjustment.

DPI developed a for people working on board for leisure activities in open sea and/or extreme weather conditions, with the possibility to wait for rescue for a long time and in very rough waters.

Specific product to safely work on board and for professional fishermen in resistant and soft PVC cover. It is resistance to oils, mould, UV light, and abrasion.

Smart, functional and comfortable donning, thanks to an enveloping design cured in every detail. Designed for the maximum freedom and mobility on board during the manoeuvres in navigation.

CASING FEATURES

- Radio VHF Tapes
- 02 frontal pockets
- Mesh collar fabric
- Zip closure
- Inox clasp with integrated adjustment
- Rescue assistance loop behind the head
- Lifting handle
- Inserts for light and objects



VERSION



CODE	PRODUCT NAME	ACTIVATION	ACTIVATORS
09235/24/HX/WK	SKIPPER WK 150	AUTOMATIC	UML MK5
09236/24/HX/WK	SKIPPER WK 150	MANUAL	UML MICROMANUAL
09235/24/HX/H/WK	SKIPPER WK 150	AUTOMATIC	MA1/EC HAMMAR
09236/24/HX/H/WK	SKIPPER WK 150	MANUAL	M1/A1 HAMMAR

SKIPPER WK 150

Floatation chamber with single compartment in PA 420 PU COATED material with electronically-controlled high-frequency welds. Provides optimal positioning and perfect stability in the water. The thrust rotates an unconscious person and angles them so as to keep their airway free of water. What's more, once the chamber is inflated, it is possible to swim unimpeded to reach safety or to quickly climb into a lifeboat.


ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation is possible with the salt activator UML MK5, through the dissolution of a water-soluble tablet or with hammar hydrostatic system.
- Manual: the system is operated through pulling the dedicated lever. The product comes with the UML MICROMANUAL or Hammaractivator booklet and is activated exclusively by hand.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.















SKIPPER WK 150

SPARE PARTS

	Whistle	25180	Rearming UML: rearming kit (26260), water-soluble tablet (25005), green MK5 pin (25003/MK5), green Micro-Manual pin (25003/UML2) Canister 60 g (26060)
---	---------	-------	---

ACCESSORIES

	Sprayhood	09145/SK		LED light	03030
	Crotch strap	09150		Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved	
	Elast. 2 aluminium hooks	11177		2 aluminium hooks SAFETY STRAP Length: 2 metres Material: Aluminium	11174
	Elast. 2 steel hooks	11176		SAFETY STRAP Length: 2 metres Material: Stainless steel	11175
	3 aluminium hooks	11175		SAFETY STRAP Length: 1.4-2 metres Material: Aluminium	11178
	2 steel hooks	11173		SAFETY STRAP Length: 2 metres Material: Stainless steel	



Remember to conduct a periodic inspection.
Book an inspection now by emailing us at: info@veleriasangiorgio.com



For more information, contact us at +39 0185 467701 or via our website veleriasangiorgio.com



To buy or learn more about this product, please visit veleriasangiorgio.com

LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY

GEAR FOR CIVILIAN AND MILITARY FIELDS

Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy

Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com



**VELERIA
SAN GIORGIO®**

LIFEJACKET MANUFACTURER