





SPINNAKER BABY 150

FEATURES codes: 09335/GN	
Type	Inflatable life jacket
Activators	UML MK5 (code: 09335/GN) automatic Oral tube
Inspection window	Made of transparent PVC with activator status indicators
Canister	24 g 1/2" GAS threading
Effective buoyancy	100 N
Class	150
Fastening mechanism	Safety harness with 45-mm strap with quick-release safety clasp and HDPE polymer fibre double ring
Certifications	ISO 12402-3, ISO 12401
Size	Child
Weight supported	20-50 kg
Waist circumference	55 - 86 cm
Casing	PL 420D PU + WR COATED material, yellow + black rhombus cluster ripstop in colour
Chamber	Single, PA 420 PU COATED material, fluorescent yellow in colour
Product packaging	Carrying case in PL 420D PU + WR COATED , size approx. 55 x 33 cm, black cluster rhombus ripstop + PVC mesh.
Product dimensions	Approx. 45 x 38 x 6 cm
Product weight	Approx. 1,100 g (code: 09335/GN)
Packaging	60 x 40 x 40 cm
Warranty	24 months
Inspection	Every 24 months
Accessories on request	Safety line, sprayhood, automatic emergency light
Spare parts	Crotch strap, whistle and rearming kit
Veleria San Giorgio reserves the right to modify the technical specifications without prior notice	



SPINNAKER BABY 150

ISO 12402-3 certified inflatable life jacket for children, class 150, actual buoyancy 100 N, integrated ISO 12401 harness with side-adjustment clasp and rapid-release safety closure.

Designed for leisure activities in the open sea and/or under adverse weather conditions, it guarantees maximum safety for any type of navigation.

Made to be easily worn and quickly activated even by younger navigators (weighing between 20 to 50 kg). The central quick-release closure is designed for ease-of-use whilst the front double ring favours the best hold in case of need.

CASING FEATURES

- Collar in breathable mesh
- Back support
- Zipper closure with Quick Open System
- Side-adjustment clasp
- HDPE polymer fibre safety line double ring
- Activation status viewing window
- Quick-release double crotch strap
- Rescue assistance loop
- Lifting handle



VERSIONS

CODE	PRODUCT NAME	ACTIVATION	ACTIVATORS
09335/GN	SPINNAKER BABY 150	AUTOMATIC	UML MK5

SPINNAKER BABY 150

Floatation chamber with single compartment in PA 420 PU COATED material with electronically-controlled high-frequency welds. Provides optimal positioning and perfect stability in the water. The thrust rotates an unconscious person and angles them so as to keep their airway free of water. What's more, once the chamber is inflated, it is possible to swim unimpeded to reach safety or to quickly climb into a lifeboat.



ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation occurs thanks to the salt activator UML MK5, through the dissolution of a water-soluble tablet.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.











SPINNAKER BABY 150

SPARE PARTS

	Double crotch strap	09150	
	Use of this accessory improves the body's inclination, stability and positioning in the water.		
	Whistle	25180	
	A mandatory accessory that permits an emergency sound signal to be issued. ISO 12402-8 certified		
	Rearming UML: rearming kit (26224), water-soluble tablet (25005), green MK5 pin (25003/MK5) Canister 24 g (26024)		

ACCESSORIES

	Elast. 2 aluminium hooks	11177		2 aluminium hooks	11174
	Length: 2 metres Material: Aluminium			Length: 2 metres Material: Aluminium	
	3 aluminium hooks	11175		Elast. 2 steel hooks	11176
	Length: 1.4-2 metres Material: Aluminium			Length: 2 metres Material: Stainless steel	
	2 steel hooks	11173		Steel hook + ring	11178
	Length: 2 metres Material: Stainless steel			Length: 2 metres Material: Stainless steel	
	Sprayhood	09145/SK		LED light	03015
	Reduces the risk of secondary drowning via inhalation of nebulised water. Improves detection of the castaway.			Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved	



Remember to conduct a periodic inspection.
Book an inspection now by emailing us at: info@veleriasangiorgio.com



For more information, contact us at +39 0185 467701 or via our website veleriasangiorgio.com



To buy or learn more about this product, please refer to the QR Code or visit veleriasangiorgio.com



LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY

GEAR FOR CIVILIAN AND MILITARY FIELDS

Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy

Tel. +39 0185 467701 - Fax +39 0185 467050 - info@veleriasangiorgio.com - www.veleriasangiorgio.com



0474



VELERIA SAN GIORGIO®



LIFEJACKET MANUFACTURER
made in Italy